

Attorney Docket No. 2003B095

**RECEIVED
CENTRAL FAX CENTER****AUG 01 2006****AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1 - 18. (Cancelled)

19. (Currently Amended) A catalytic cracking process for selectively producing C₃ olefins, said process comprising contacting under catalytic cracking conditions, a feedstock containing hydrocarbons having at least 5 carbon atoms with a catalytic cracking catalyst comprising catalytically effective amounts of a multicomponent catalyst comprising:

(a) a first molecular sieve component having an intermediate pore size;
and,

(b) a second molecular sieve component having a structure type that is different from said ~~second~~ first molecular sieve and a pore size index of at least one channel of said second molecular sieve which is less than the pore size index of at least one channel of said first molecular sieve;

wherein said multicomponent catalyst provides a higher propylene conversion by weight percent, than either first or second component alone.

20. (Original) The process recited in Claim 19, wherein said feedstock comprises a naphtha having a boiling range of 25°C to 225°C.

21. (Original) The process recited in Claim 20, wherein the second molecular sieve has a pore diameter greater than about 3.5 Å.

Attorney Docket No. 2003B095

22. (Original) The process recited in Claim 20, wherein all of the channels of the second molecular sieve have a pore size index that is less than the pore size index of all of the channels of the first molecular sieve.

23. (Original) The process recited in Claim 20, wherein said first molecular sieve and said second molecular sieve have one dimensional, non-interconnecting channels

24. (Original) The process recited in Claim 20, wherein said first molecular sieve, said second molecular sieve, or both have three-dimensional, interconnecting channels.

25. (Original) The process recited in Claim 20, wherein said first molecular sieve has a structure selected from the group consisting of ITH, MF1, MEL, MFS MTW, and MWW.

26. (Original) The process recited in Claim 25, wherein said first molecular sieve is selected from the group consisting of ZSM-5, ZSM-11, ZSM-12, ZSM-57, ITQ-13, and MCM-22.

27. (Original) The process recited in Claim 25, wherein said second molecular sieve has a structure selected from the group consisting of AEL, AFO, CHA, TON, FER, MTF, and MWW.

28. (Original) The process recited in Claim 26, wherein said second molecular sieve is selected from the group consisting ECR-42, ZSM-22, ZSM-35, ZSM-23, MCM-22, MCM-49, SAPO-11, SAPO-34, and SAPO-41.

29. (Original) The process recited in Claim 20, wherein said first molecular sieve is ZSM-5 and said second molecular sieve is SAPO-11.

30. (Original) The process recited in Claim 29, wherein said naphtha is a thermally or catalytically cracked naphtha boiling in the naphtha range and containing from about

Attorney Docket No. 2003B095

5 wt. % to about 35 wt. % paraffins, and from about 15 wt. % to about 70 wt. % olefins.

31. (Original) The process recited in Claim 21, wherein the catalytic cracking conditions include a feed residence time in the reaction zone of less than about 10 seconds, temperatures ranging from about 400° C. to about 700° C.; hydrocarbon partial pressures from about 10 to 50 psia; and a catalyst to feed (wt/wt) ratio from about 3 to 12; wherein catalyst weight is total weight of said catalytic cracking catalyst composite.

32. (Original) The process recited in claim 19, wherein the feedstock comprises a hydrocarbon mixture having an initial boiling point of 200°C and said catalytic cracking composition further comprises a third molecular sieve having a large pore size.

33. (Original) The process recited in Claim 32, wherein all of the channels of the second molecular sieve have a pore size index that is less than the pore size index of all of the channels of the first molecular sieve.

34. (Original) The process recited in Claim 32, wherein said first molecular sieve and said second molecular sieve have one dimensional, non-interconnecting channels.

35. (Original) The process recited in Claim 32, wherein said first molecular sieve, said second molecular sieve, or both have three-dimensional, interconnecting channels.

36. (Original) The process recited in Claim 32, wherein said third molecular sieve has a structure selected from the group consisting of AFI, AFR, LTL, VFI, MAZ, MEI, FAU, EMT, OFF, *BEA, and MOR.

37. (Original) The process recited in Claim 32, wherein said first molecular sieve has a structure selected from the group consisting of ITH, MFI, MEL, MFS MTW, and MWW.

Attorney Docket No. 2003B095

38. (Original) The process recited in Claim 37, wherein said first molecular sieve is selected from the group consisting of ZSM-5, ZSM-11, ZSM-12, ZSM-57, ITQ-13, and MCM-22.

39. (Original) The process recited in Claim 37, wherein said second molecular sieve has a structure selected from the group consisting of AEL, AFO, CHA, TON, FER, MIT, and MWW.

40. (Original) The process recited in Claim 37, wherein said second molecular sieve is selected from the group consisting ECR-42, ZSM-22, ZSM-35, ZSM-23, MCM-22, MCM-49, SAPO-11, SAPO-34, and SAPO-41.

41. (Original) The process recited in Claim 32, wherein said first molecular sieve is ZSM-5 and said second molecular sieve is SAPO-11.

42. (Original) The process recited in Claim 39, wherein said third molecular sieve has a structure selected from the group consisting of AFI, AFR, LTL, VFI, MAZ, MEI, FAU, EMT, OFF, *BEA, and MOR.

43. (Original) The process recited in Claim 40, wherein said third molecular sieve is selected from the group consisting of faujasite, mazzite, offretite, zeolite L, VPI-5, SAPO-37, zeolite X, omega, Beta, ZSM-3, ZSM-4, ZSM-18, ZSM-20, MCM-9, MCM-41, MCM-41S, MCM-48, zeolite Y, Ultrastable Y, Rare Earth exchanged Y, Rare Earth exchanged USY, Dealuminated Y, and Ultrahydrophobic Y.

44. (Original) The process of Claim 43, wherein said large pore molecular sieve is selected from the group consisting of REY, USY or REUSY.

45. (Original) The process of Claim 44, wherein said hydrocarbon mixture has an initial boiling point above 200°C, a 50 % point of at least 260°C and an end point of at least 315°C.

USSN: 10/671,080

5 of 9

C:\DOCUME\Furumith\LOCALS-1\Temp\1044415\FIR2003B095-2006August1-RESPONSE TO 1st OA.DOC

Attorney Docket No. 2003B095

46. (Original) The process of Claim 45, wherein said hydrocarbon mixture is selected from the group consisting of vacuum gas oils, thermal oils, residual oils, cycle stocks, whole top crudes, tar sand oils, shale oils, synthetic fuels, heavy hydrocarbon fractions derived from the destructive hydrogenation of coal, tar, pitches, asphalts, and hydrotreated products of the foregoing.

47. (Original) The process of Claim 44, wherein the weight ratio of said third molecular sieve to the first and second molecular sieve is about 0.01 to about 0.1.

48. (Original) The process of Claim 41, wherein said large pore molecular sieve comprises a zeolite Y.

49. (Original) The process recited in Claim 41, wherein the product of said catalytic cracking process contains at least 5 percent by weight of C₃ olefins based on the total weight of the propylene and butylene produced by the process.

50. (Original) The process recited in Claim 41, wherein said process is carried out to produce propylene in a propylene to ethylene ratio of at least 4:1 and a propylene to butylene ratio of at least 1:1.

51. (Original) The process recited in Claim 50, further comprising the steps of: (a) separating the propylene; and (b) polymerizing or co-polymerizing the separated propylene.

52. (Cancelled)

Attorney Docket No. 2003B095

SUPPORT FOR THE AMENDMENTSRECEIVED
CENTRAL FAX CENTER

AUG 01 2006

Claim 19 has been amended to address the objection made the Examiner in the previous Official action and also to point out the unexpected results demonstrated by a process using the multicomponent catalyst according to the present invention when compared with a process single component catalyst. Support is found *inter alia* at paragraph [0046].

The non-elected claims have been cancelled in order to advance prosecution, without prejudice as to filing one or more divisionals directed to the inventions described by said claims. It is believed there is no possibility of new matter.